

PLATE NO.I

AE 29

U.\$\$. MOUNT HOOD

BOOKLET
OF
GENERAL PLANS
BUSHIPS NO. AE- 29-845-2636414

TITLE AND NUMBER OF PLATE	S	
TITLE	PLATE NO.	
OVER & TITLE		
ENERAL DIMENSIONS & DATA	2	
UTBOARD PROFILE	3	
BOARD PROFILE	4	
6 LEVEL TOP K.P.I.2.3.4 & TOP MAST	5	
5 LEVEL TOP K.P. 5,6,7,8,9 & 10	6	
3 & O4 LEVEL	7	
2 LEVEL, TOP VIEWS & BOAT STOWAGES	. 8	
I LEVEL, FC'SLE DK. & BOAT STOWAGES	9	
AIN DECK	10	
ND DECK	li	
T PLATFORM	12	
ND PLATFORM	13	
OLD	14	
INERBOTTOM	15	
IDSHIP SECTIONS & TYPE SECTIONS FORWARD	16	
YPE SECTIONS AFT	17	
		-

CORRECTED	TO SUIT	SHIP
PLACE	DATE	APPROVED
HUNTERS POINT NAVAL SHIPYARD	30 JUNE, 72	R. S. Mayre.
SUPSHIPS SF	10 AUG 1976	B. Wagner
SUPSHIP SE	25 SEP 1980	B. Wagner
-		
	N	
		·

HEIGHTS ABOVE 28'-0" D.W.L.

MAST	LOCATION	HEIG
MAIN	G 12"FWD FR 115	130
LIGHT	€ 13"AFT FR 24	90

HEIGHTS ANTENNAS ABOVE DESIGN WATER LINE

AN/SPSIOB RADAR ANT .	116'-34'
AS-1018 ANT	137'-27/
NT-66047	72'-9"
AS-2537/SR	81'-3"
NT-66095	96-9
AS-3018/WSC-1	66-9.
SPERRY RADAR MK 12-6	92'-9"

HEIGHTS ABOVE 28'-0" D.W.L.

LEVEL	LOCATION		REMARKS	HEIGHT
01	£	13	TO MLE LINE OF DEPLTE	31'-3'
		110		
		85		
		61		
1		33		31-73
02				39'-3"
03				47'-3"
04			·	55-3
05				63'-3"
06				72'-9'
07	GL.			80'-10
SPS	RADAR AN	AT PLAT	F (ON MAIN MAST)	110.0

CAPACITY OF BOOMS

2 1/8"	CARGO	LOCATION	WORKING LOAD
9"		BET FRS 47-48 P/S 03 LEVEL	22,400
3"		146-147 P/S OI LEVEL	

HEIGHTS ABOVE 28'-0" D.W.L.

•	•	-	
LIGHT	LOCATION	HEIGHT	
FWD ANCHOR	JACKSTAFF	55'-8"	
MASTHEAD	FR 24 1/2 ON FOREMAST	88.23	
UPPER TOWING		82:23	
LOWER TOWING		76-23	
REPLENISHMENT APPROCH	OI LEVEL BET. FRS 56-57 MS	34'-10	
	130-131 P/S	34'- 8	
SIDE	BET. FRS 102 -103 P/8	62'-B"	
SHIPS TASK (LOWER)	M.T.D. ON MAIN MAST 45°TO(S)	1161-61	
(MID)		155.6,3	
(UPPER)		129.64	
Ç RANGE	FWD OF SPS ROR ANT PLATE	111-156	
AIRCRAFT WARNING & SPEED	BET. FRS IIG-II7 PYS	129'-6'4	
AFT ANCHOR	ERSIGN STAFF	36' - 3'	
WAKE	TRANSON	14'-9	
STERN		18'-8	
BLINKER	YARDARM P/S		
& HOMING BEACON	MAIN MAST	114' - 7'	

SMALL BOATS & FLOATS

4.2	TOTAL		587
29	ENCAPSULATED CO2 LIFEBOAT	15	435
2	33'-0" UTILITY	45	90
I	26' O" MOTER WHALE	22	22
2	26'-0" PERSONNEL	20	40
NO.	SIZE & TYPE	EACH	TOTA

GENERAL DIMENSIONS

LENGTH BETWEEN PERPENDICULARS LENGTH OVERALL BREADTH EXTREME	540'-0" _564'-0" 8['-0"	
DRAFT, ABOVE BOTTOM OF KEEL CORRESPONDING		
TO FULL LOAD DISPLACEMENT DRAFT, ABOVE LOWEST PROJECTION BELOW	26-73"	
KEEL CORRESPONDING TO FULL LOAD DISPLACEMENT	28-73	
FRAME SPACING	36"	
BERTHING ACCOMMODATION	<u>\$</u>	
RERTH		

PERSONNEL	BEDS	BERTH	BERTHS	
OFFICERS	2	6	20	
CPO			24]
CREW			378	
	1		4.0.0	7


HOSPITAL BERTHING ACCOMMODATIONS
12-HOSPITAL BEDS
1-SURGICAL BED
LOCKERS


	CPO BLUE UNIFORMS	CREW
<u>A</u>	TYPE E (13 OVERCOATS)	TYPE A 26
	F (9 OVERCOATS)	2 B-2 33 C 378
5	6 (26 COATS)	PEACOAT TYPE L (34 COATS) 10
\vec{n}	H (IB COATS)	2 K (16 COATS) 2

GENERAL DIMENSIONS & DATA

BUSHPS NO. AE-29-845-2636414


PLATE NO. 2








INBOARD PROFILE

SCALE 1/16" =1'-0"










O3 LEVEL

03 8 04 LEVEL

BUSHIPS NO AE 29-845-26-36-414

SCALE ING -1'-0"

4 LEV



02 LEVEL, TOP VIEWS
8 BOAT STOWAGES

BUSHIPS NO. AE 29-845-2636414 SCALE 1/18" • 1' - 0"

